

Series 4, French door bottom freezer, multi door, 183 x 90.5 cm, Brushed black steel anti-fingerprint, Total No Frost KFN96AXEA



- **VitaFresh XXL <0°C>**: Keeps food fresh for longer in extra-large climate-controlled fridge drawers.
- **XXL capacity**: extra space for your food when you need it.
- **LED lighting**: keep your groceries in perfect view.
- **Big Box drawer**: for stacking storage containers or for large frozen food items.
- **Super Cooling function**: cools new food placed inside faster, thus protecting already cooled food.

Energy Efficiency Class (Regulation (EU) 2017/1369): E
Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369:333 kWh/annum
Sum of volume of frozen compartments (EU 2017/1369): 200 l
Sum of volume of chill- and unfrozen compartments (EU 2017/1369): 405 l
Airborne acoustical noise emissions (EU 2017/1369):38 dB(A) re 1pW
Airborne acoustical noise emission class (EU 2017/1369): C
Built-in / Free-standing:Free-standing
Number of compressors: 1
Number of independent cooling systems: 1
Width of the appliance: 905 mm
Height: 1830 mm
Depth of the product: 731 mm
Net weight:118.3 kg
Door panel options: Not possible
Door hinge:left and right
Number of Adjustable Shelves in fridge compartment: 3
Shelves for Bottles: No
Frost free system: Fridge and freezer
Interior ventilator: Yes
Reversible Door Hinge: No
Length electrical supply cord: 240.0 cm
Noise level: 38 dB(A) re 1pW
Multi-Flow Air Tower: Yes
Fast cooling switch:Yes
Fast freezing switch:Yes
Temperature Controlled Drawer:
Humidity Control Drawer:No
Number of Door Bins - Refrigerator:4
Door bin adjustability - Refrigerator: Yes
Tilt-out door bins in fridge:Yes
Gallon Storage:Yes
Number of Gallon storage:2
Motorized Shelf: No
Material of the shelves: Safety glass
Door opened indicator freezer:Yes
Automatic motor-driven ice-maker: No
Fuse protection:10 A
Voltage: 220-240 V
Frequency: 50-60 Hz
Storage Period in Event of Power Failure (h): 15 h
Door panel options: Not possible
Noise level: 38 dB(A) re 1pW
Energy Star Qualified:No
Plug type: Gardy plug w/ earthing
Required cutout/niche size for installation (in):x
Dimensions of the packed product: 74.99 x 39.29 x 30.23
Net weight:261.000 lbs
Gross weight: 284.000 lbs



**Series 4, French door bottom
freezer, multi door, 183 x 90.5 cm,
Brushed black steel anti-fingerprint,
Total No Frost
KFN96AXEA**

- No Frost, CrossDoor
- Doors black inox-antifingerprint

GENERAL INFORMATION

Design and Styling

- cast iron
- Interior LED Light: Brighter lighting to help you to see the fridge interior more clearly
- Interior with metal applications

Convenience & Safety

- 7 segment electronic control
- SuperCool Function: New food can be quickly cooled down to 2 degree celsius to prevent increase in internal temperature
- Automatic Defrost in Fridge Section
- acoustic for Fridge and Freeze, Optical warning system Door open
- Acoustic Warning System, Optical Warning System by Temperature Increase

Fridge Compartment

- Multi-Air Flow System: Better air circulation and more even temperature for food to stay fresher longer
- 2door trays (large)
- 2 door trays (small)
- none/0
- Dairy Compartment: Optimum storage conditions for butter and cheese

FRESHNESS SYSTEM

Freezer Compartment

- 6 x Transparent Freezer Drawers
- 1 x Ice Cube Tray
- Without Illumination in freezer section

APPLIANCE DIMENSION

- Dimensions (H x W x D): 183.0 cm x 90.5 cm x 73.1 cm

COMFORT & SAFETY

- Voltage 220 - 240 V

Accessories


- 1 x ice cube tray

Country Specific Options

- Energy Consumption: 329 kWh/year
- Net freezer capacity: 57Litres
- Acoustic Warning System
- Interior LED Light: Brighter lighting to help you to see the fridge interior more clearly


**Series 4, French door bottom
freezer, multi door, 183 x 90.5 cm,
Brushed black steel anti-fingerprint,
Total No Frost
KFN96AXEA**

Measurements in mm



A: Front is adjustable 1830–1847 mm, with front levelling feet fully extended


Measurements in mm




A: Front is adjustable 1830–1847 mm, with front levelling feet fully extended

B: Add 25 mm for fixed spacers on back

Measurements in mm



Measurements in mm



A	a	b
≤ 600	0	0
600 < A ≤ 650	45	45
650 < A ≤ 700	60	60
> 700	239	239

A: Kitchen cabinet or worktop depth

B: Wall
Drawers can be pulled and taken out with door open to 90°