
## Series 6, Electric hob, 60 cm, Black, PKK651FP8E







HEZ32WA00 HEZ390090 HEZ392617

Wireless food thermometer Wok Set consisting of 3 Items Intermediate bottom HEZ9SE030 Set of 2 pots and 1 pan

## The glass-ceramic radiant hob: makes cooking and cleaning especially easy.

- DirectSelect: direct, simple selection of the desired cooking zone, power and additional functions.
- The 28 cm cooking zone: Extendable cooking zone
- The 18 cm cooking zone extendable cooking zone.
- U-bevel: elegant, appealing design with bevelled front and sides.
- Power Boost: up to 20% more energy when cooking on your electric hob.

Product name/family:	Built-inElectric same time:3
Width of the appliance:	592 mm
Dimensions:	45x592x522 mm
Dimensions of the packed product (HxWxD):	95 x 662 x 590 mm
Net weight:	7.5 kg
Gross weight:	8.2 kg
Residual heat indicator:	Separate
Location of control panel:	Front
Basic surface material:	Ceramic
Color of surface:	Black
Length electrical supply cord:	100.0 cm
Sealed Burners:	No
heating with booster:R	ear left, Front right
Power of 2nd heating element (kW):	2.1 ; 2.7 kW
Power of 5th heating element (kW):	1.2 kW
Connection rating:	5750 W
Voltage:	220-240 V
Frequency:	50; 60 Hz
Energy input:	Electric
Plug type:	no plug
Appliance Dimensions (h x w x d) (in):	x x
Dimensions of the packed product: 3	5.74 x 23.22 x 26.06
Net weight:	17.000 lbs
Gross weight:	18.000 lbs
Total number of positions that can be used at the	
Length electrical supply cord:	
Min. required niche size for installation (HxWxD):	45 x 560-560 x
490-500 mm	
Dimensions:	
Dimensions of the packed product (HxWxD):	
Net weight:	Ü
Gross weight:	8.2 kg





## Series 6, Electric hob, 60 cm, Black, PKK651FP8E

# The glass-ceramic radiant hob: makes cooking and cleaning especially easy.

#### Flexibility of cooking zones

- Ring zone double: use regular or larger cookware on the expandable cooking zone.
- Cooking zone rear right: 145 mm , 1.2 KW  $\,$
- Cooking zone rear left: 210 mm, 275 mm, 2.1 KW (max. power 3.4 KW)
- Cooking zone front right: 120 mm, 180 mm, 1 KW (max. power 2.3 KW)

#### Usage convenience

- TouchControl MultiTouch: directly control the power with the imprinted touch bar.
- Variable 17-stage power settings for each zone: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Switch off timer for every cooking zone
- -: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Timer
- -: an alarm sounds at the end of the time set (e.g. for pasta).

#### Time saving & efficiency

- PowerBoost function in the front left zone, PowerBoost function in the front rigth zone: boil water more quickly thanks to 20% more energy than at the highest standard level.
- ReStart Function: in case of unintentional switch-off, restore all previous settings by switching on the hob again within 4 seconds.

#### Design

- 60 cm: space for 3 pots or pans.
- Frameless with U facette edges

#### Safety

- 2 stage residual heat indicator: indicates which cooking zones are still hot or warm.
- Childproof lock: prevent unintended activation of the hob.
- Wipe protection function: wipe overboiled liquids without unintentionally changing settings (blocking all touch buttons for 30 seconds).
- Main on/off switch: switch off all cooking zones at the touch of a button.
- Power on indicator light: indicates if the hob is heating.
- Safety switch-off: for safety reasons, heating stops after a preset time without interaction (customizable).
- yes: shows the electricity consumption of the last cooking process.


#### Installation

- Dimensions of the product (HxWxD mm): 45 x 592 x 522
- Required niche size for installation (HxWxD mm) :  $45 \times 560 \times (490 500)$
- Min. worktop thickness: 16 mm
- Connected load: 5.75 KW
- PowerManagement Function: limit the maximum power if needed (depends on fuse protection of electric installation).
- Power cord: 1 m, loose insert in packaging



## Series 6, Electric hob, 60 cm, Black, PKK651FP8E

measurements in mm



- **A**: Minimum distance from the hob cut-out to the wall.
- B: Recessed depth
  C: With fitted oven underneath min. 20, possibly more; see space requirements for the oven.