


**Series 8, Induction hob, 78 cm,
Black,
PPI82560MS**



Precise power control, cool cooking experience

- Each Zone's Timer Automatically Shuts Off When Cooking is Done
- Timer with switch-off function: turns off the assigned cooking zone after the set time.
- Power Boost: up to 35% faster heating compared to highest power level.
- Induction: Fast, precise cooking, easy cleaning and low energy consumption.

Product name/family: Cooking zone ceramic
 Built-in / Free-standing: Built-in
 Energy input: Electric
 Total number of positions that can be used at the same time: 2
 Min. required niche size for installation (HxWxD): 59 x 700-700 x 400-400 mm
 Width of the appliance: 780 mm
 Dimensions: 59 x 780 x 450 mm
 Dimensions of the packed product (HxWxD): 135 x 855 x 534 mm
 Net weight: 10.3 kg
 Gross weight: 13.0 kg
 Residual heat indicator: Separate
 Location of control panel: Front
 Basic surface material: Ceramic
 Color of surface: Black, Alu, brushed
 Length electrical supply cord: 150.0 cm
 Sealed Burners: No
 heating with booster: All
 Power of heating element (kW in boost): [3.1] kW
 Connection rating: 3500 W
 Fuse protection: 16 A
 Voltage: 220-240 V
 Frequency: 50-60 Hz
 Energy input: Electric
 Plug type: no plug
 Appliance Dimensions (h x w x d) (in): x x
 Dimensions of the packed product: 5.31 x 21.02 x 33.66
 Net weight: 23.000 lbs
 Gross weight: 29.000 lbs
 Total number of positions that can be used at the same time: 2
 Length electrical supply cord: 150.0 cm
 Min. required niche size for installation (HxWxD): 59 x 700-700 x 400-400 mm
 Dimensions: 59 x 780 x 450 mm
 Dimensions of the packed product (HxWxD): 135 x 855 x 534 mm
 Net weight: 10.3 kg
 Gross weight: 13.0 kg



**Series 8, Induction hob, 78 cm,
Black,
PPI82560MS**

**Precise power control, cool cooking
experience**

Cooking Zone

- 2 Induction cooking zones
- Variable 9-stage power settings for each zone

Design

- Black ceramic glass base
- Bevel in rear and front and side stainless steel profile
- DirectSelect touch control panel

Key Functions

- Smart interconnection, ventilation velocity automatically adjust by the induction gears, fire power and velocity as control.
- Automatic pan recognition sensor
- PowerManagement Function Safety switch-off
- 2 stage residual heat indicator
- 1.8kW power, boost to 3.1kW for each zone

Dimensions

- Dimensions of the product (HxWxD mm) : 59 x 780 x 450
- Required niche size for installation (HxWxD mm) : 59 x 700 x 400-400
- Length of main cable: 150 cm
- Electrical connection rating: 3500 W

**Series 8, Induction hob, 78 cm,
Black,
PPI82560MS**

