

**Series 8, warming drawer, 60 x 14 cm, Black
BIC7101B1**



HEZ32WA00 Wireless food thermometer

- **Push-pull mechanism:** easy opening and closing thanks to a practical spring mechanism.

Built-in / Free-standing:	Built-in
Maximum number of plates:	12
Maximum number of espresso cups:	64
Dimensions:	140 x 594 x 518 mm
Dimensions of the packed product (HxWxD):	260 x 650 x 700 mm
Min. required niche size for installation (HxWxD):	140 x 560 x 550 mm
Time control:	No
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Plug type:	Gardy plug w/ earthing
Required cutout/niche size for installation (in):	x
Dimensions of the packed product:	10.23 x 25.59 x 27.55
Net weight:	42.000 lbs
Gross weight:	46.000 lbs
Length electrical supply cord:	175.0 cm
Min. required niche size for installation (HxWxD):	140 x 560 x 550 mm
Dimensions:	140 x 594 x 518 mm
Dimensions of the packed product (HxWxD):	260 x 650 x 700 mm
Net weight:	19.0 kg
Gross weight:	21.0 kg



Series 8, warming drawer, 60 x 14 cm, Black BIC7101B1

Design

Comfort

- Heating plate made of toughened glass
- Cavity volume: 20 l
- Loading up to 25 kg
- Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC
- Temperature control in 4 levels: ca. 30°C - 80°C (glass surface temperature)
- push&pull

Technical information


- Length of mains cable: 175 cm
- Connected load: 820 W
- Nominal voltage: 220 - 240 V

Dimensions:

- Appliance dimension (hxwxd): 140 mm x 594 mm x 518 mm
- Niche dimension (hxwxd): 140 mm x 560 mm - 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"

**Series 8, warming drawer, 60 x 14 cm, Black
BIC7101B1**

Measurements in mm



A: 7.5 mm

Compact ovens with appliance height of 455 mm can be installed above the warming drawer without an intermediate floor

Measurements in mm

