

**Series 6, island cooker hood, 90 cm,
Stainless steel
DIB98JQ50**



DIZ2CX5C6 Clean Air Plus recirc. kit external, DIZ2FX5D1 Long Life recirculation kit external, DZZ0XX0P0 Long Life odor filter (replacement), DZZ1XX1B6 Clean Air Plus odor filter (replacement), DZZ2CB1B4 Clean Air Standard odor filter (repl.), DHZ1231 Adapter for roof inclination left/right, DHZ1241 Adapter for roof inclination front/back, DHZ1246 Chimney extension 1100 mm, DHZ1251 Extension for mounting kit 500 mm, DHZ1253 Extension for mounting kit 1000 mm, DHZ1256 Chimney extension 1600 mm, DHZ5346 Standard odor filter (replacement), DHZ5385 Standard recirculation kit, DIZ2CB114 Clean Air Standard recirculation kit

The island chimney hood: the perfect solution for your cooking island thanks to flexible ceiling mounting.

- **For fast and effective extraction, the intensive speed setting removes strong kitchen odours quickly and effectively.**
- **Extra quiet: maximum extractor performance with minimal noise.**

Typology:Island/Ceiling
 Length electrical supply cord: 130.0 cm
 Height of the chimney: 698-878/698-998 mm
 Height of product, without chimney:46 mm
 Net weight:31.0 kg
 Type of control:Electronic
 Number of speed settings:3-stage + 2 intensive
 Maximum output air extraction: 445 m³/h
 Boost position output recirculating:457 m³/h
 Maximum output recirculating air:353 m³/h
 Boost position air extraction: 867 m³/h
 Number of lights: 4
 Noise level:54 dB(A) re 1 pW
 Diameter of air outlet: 120 / 150 mm
 Grease filter material: Washable stainless steel
 Odour filter: No
 Operating Mode: Convertible
 Optional accessories:DIZ2CX5C6, DIZ2FX5D1, DZZ0XX0P0, DZZ1XX1B6, DZZ2CB1B4, DHZ1231, DHZ1241, DHZ1246, DHZ1251, DHZ1253, DHZ1256, DHZ5346, DHZ5385, DIZ2CB114
 Type of lamps used: LED
 Grease filter type:Kassette
 Connection Rating: 166 W
 Fuse protection:10 A
 Voltage:220-240 V
 Frequency: 50; 60 Hz
 Plug type: Gardy plug w/ earthing
 Installation typology: Island
 Material body: Stainless steel
 Plug type: Gardy plug w/ earthing
 Dimensions of the product, with chimney (if exists) (in):x x
 Dimensions of the packed product: 33.07 x 24.01 x 40.94
 Net weight:68.000 lbs
 Gross weight: 91.000 lbs
 Motor location: Integrated motor in hood chimney
 No-return airflow flap: Yes
 Length electrical supply cord: 130.0 cm
 Dimensions of the product, with chimney (if exists): 744-1044 x 898.0 x 600.0 mm
 Dimensions of the packed product (HxWxD): ... 840 x 610 x 1040 mm
 Net weight:31.0 kg
 Gross weight: 41.5 kg
 Delay Shut off modes: 10 min



Series 6, island cooker hood, 90 cm, Stainless steel DIB98JQ50

The island chimney hood: the perfect solution for your cooking island thanks to flexible ceiling mounting.

Design

- 90 cm Island chimney hood
- Ceiling mounted hood
- Box brand design
- TouchControl

Performance

- 3 fan speeds setting plus 2 intensive
- Extraction rate according to EN 61591 \varnothing 15 cm:
 - max. Normal use 445 m³/h
 - Intensive 867 m³/h
- Noise level according to EN 60704-3 und EN 60704-2-13 at max. normal use exhaust air: 54 dB(A) re 1 pW (41 dB(A) re 20 μ Pa sound pressure)

Comfort:

- Automatic intensive revert after 6 min.
- Automatic run on for 10 min.
- easy to clean yes
- air quality sensor 1.1
- Light dimmer function
- SoftLight
- BLDC for Ventilation
- 4 x 1.5W LED
- Light Intensity: 423 lux
- Colour Temperature: 3500 K
- grease- and charcoal filter
- Cass.w.stainl. st. perf. plate
- Additional noise insulation
- with one-way flap
- Energy Efficiency Class: A+*
- Average Energy Consumption: 31.9 kWh/year*
- Blower Efficiency Class: A*
- Lighting Efficiency Class: A*
- Grease Filtering Efficiency Class: B*
- Noise min./max. Normal Level: 44/54 dB*

Technical Information

- Suitable for ducted or re-circulated extraction
- Recirc. kit or clean air kit
- Diameter pipe \varnothing 150 mm (\varnothing 120 mm enclosed)
- Dimensions exhaust air (HxWxD): 744-924 x 898 x 600 mm
- Dimensions recirculating (HxWxD): 744-1044 x 898 x 600 mm
- Power rating: 166 W
- Electrical cable length 1.3 m
- Voltage: 220 - 240 V

* In accordance with the EU-Regulation No 65/2014

**Series 6, island cooker hood, 90 cm,
Stainless steel
DIB98JQ50**

