


## Series 8, Built-in oven with added steam function, 60 x 60 cm, Black HRG7784B1



1 x enamel baking tray, 1 x combination grid, 1 x universal pan

HEZ327000 Pizza stone, HEZ32WA00 Wireless food thermometer, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ629070 Air Fry & Grill tray, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan with grid, enamelled, HEZ633073 Professional pan, enamelled, HEZ634000 Baking and roasting grid, HEZ635001 AirFry & Grill Set, HEZG0AS00 Connecting cable 3m, HEZ636000 Glass pan, HEZ638070 Full ext rails, level independent, pyro, HEZ660060 Strip, HEZ664000 Baking and roasting grid, steam, HEZ915003 Glass roasting dish, 5,4 L

**The built-in added steam oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals: automatically prepares your dishes so they're crispy and juicy, PerfectRoast Plus, PerfectBake Plus, Home Connect for control via the App.**

- **Digital Control Ring:** the simple and innovative way to select oven settings.
- **TFT Touch Display Pro:** control with an innovative Digital Control Ring and full TFT touchscreen.
- **Automatic Switch-off:** cooking process automatically stops as soon as the dish is done.
- **PerfectBake Plus:** regulates settings and tells you exactly when to remove dishes from the oven.
- **PerfectRoast Plus:** knows exactly when your roast is done.

Gross weight: ..... 43.5 kg  
 Built-in / Free-standing: ..... Built-in  
 Integrated Cleaning system: ..... Pyrolytic+Hydrolytic  
 Required niche size for installation (HxWxD): ..... 585-595 x 560-568 x 550 mm  
 Dimensions: ..... 595x594x548 mm  
 Dimensions of the packed product (HxWxD): ..... 675 x 660 x 690 mm  
 Control Panel Material: ..... Glass  
 Door Material: ..... Glass  
 Net weight: ..... 40.9 kg  
 Usable volume of cavity: ..... 71 l  
 Heating modes:: Regeneration, 4D hotair, Defrost, Air fry, Dehydrate, Full width grill, Hotair gentle, Intensive heat, Half width grill, Conventional heat, Conventional heat gentle, Pizza setting, low temperature cooking, Bottom heat, Hot air grilling, pre-heating, warming  
 Length electrical supply cord: ..... 120.0 cm  
 Interior Lights - cavity 1: ..... 1  
 Pull-out system: ..... Accessory  
 Included accessories: 1 x enamel baking tray, 1 x combination grid, 1 x universal pan  
 Broil Element Wattages cavity 1: ..... 2800 W  
 Convection Element Wattages cavity 1: ..... 2200 W  
 Energy efficiency class: ..... A+  
 Energy consumption per cycle conventional (2010/30/EC): ..... 0.87 kWh/cycle  
 Energy consumption per cycle forced air convection (2010/30/EC): ..... 0.69 kWh/cycle  
 Energy efficiency index (2010/30/EC): ..... 81.2 %  
 Connection rating: ..... 3600 W  
 Fuse protection: ..... 16 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50; 60 Hz  
 Plug type: ..... GARDY plug w/ earthing  
 Energy input: ..... Electric  
 Required cutout/niche size for installation (in): ..... x  
 Dimensions of the packed product: ..... 26.57 x 25.98 x 27.16  
 Net weight: ..... 90.000 lbs  
 Gross weight: ..... 96.000 lbs



4 242005 327126

## **Series 8, Built-in oven with added steam function, 60 x 60 cm, Black HRG7784B1**

**The built-in added steam oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals: automatically prepares your dishes so they're crispy and juicy, PerfectRoast Plus, PerfectBake Plus, Home Connect for control via the App.**

### **Type of oven / heating system:**

- Oven with 22 heating methods: 4D hot air, Conventional heat, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, Intensive heat, low temperature cooking, Defrost, pre-heating, Dehydrate, Warming, Hotair gentle, Conventional heat gentle, regeneration, fermentation, Hot air grilling, warming, 4D Hot air, Conventional heat
- Temperature range 30 °C °C - 300 °C °C
- Cavity volume: 71 l l

### **Hook-in racks / rails**

- Number of shelf levels: 5 PC PC
- 1 level telescopic shelf, full extension, pyrolitic proof, with Stop function

### **Design**

- Control Ring
- Digital Control Ring
- Cavity inner surface: Enamel anthracite
- Extra large capacity oven

### **Cleaning:**

- Pyrolytic self-cleaning function
- EcoClean Direct program
- Full glass inner door

### **Comfort**

- Oven Assistant with Voice Control
- 2,5"-TFT-color and text display with touch-control buttons
- Electronic clock
- Temperature proposal, Actual temperature display, Heating-up control
- Oven door with SoftOpen and SoftClose, Drop down door
- soft opening
- Supporting systems: Programs
- Air Fry Function
- Rapid heating-up
- steam boost - add for 3min intensive steam with a touch of a button.
- There are different steam intensities selectable: steam level high, steam level middle, steam level low
- Halogen interior lighting
- Water tank empty indication
- Location of steam generator is inside of the cavity
- Integral cooling fan
- Tính năng HomeConnect sử dụng wifi

### **Accessory**

- combination grid, universal pan

### **Environment and Safety:**

- low door temperature
- Low door temperature during pyrolitic cleaning
- 4 PC glazed CoolTouch door
- Child lock Automatic switch off Residual heat indicator Start-/Stop button Door contact switch

### **Technical Information**


- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: Total connected load electric: 3.6 KW KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.87 kWh
- Energy consumption per cycle in fan-forced convection mode:0.69 kWh
- Number of cavities: 1 Heat source: electrical Cavity volume:71 l

### **Dimensions:**



- Appliance dimension (hxxwxh): 595 mm x 594 mm x 548 mm
- Niche dimension (hxxwxh): 575 mm-597 mmx560 mm-568 mmx550 mm
- "Please reference the built-in dimensions provided in the installation drawing"

## Series 8, Built-in oven with added steam function, 60 x 60 cm, Black HRG7784B1

Installing two appliances on top of each other  
other  
Air exchange



A: Air inlet  $\geq 200 \text{ cm}^2$



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

