

## Series 8, Built-in compact oven with microwave function, 60 x 45 cm, Black CMG636BB1



1 x combination grid, 1 x universal pan

HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ634080 Baking and roasting grid, microwave, HEZ636000 Glass pan, HEZ660050 Cover Strip, HEZ660060 Strip, HEZ664000 Baking and roasting grid, steam, HEZ915003 Glass roasting dish, 5,4 L, HEZG0AS00 Connecting cable 3m

- **Microwave function:** for quick warming up or for fast cooking in combination with hot air.
- **TFT touchscreen control:** easy-to-use thanks to the control ring with full text and images.
- **EcoClean Direct:** almost no cleaning is necessary thanks to a special coating of the rear wall that automatically absorbs grime.
- **LED-light:** perfect illumination of foods with minimum energy consumption.
- **Flap door with SoftOpen and SoftClose:** the oven door opens and closes especially gently and quietly.

Additional function: ..... Microwave combination  
Type of control: ..... Electronic  
Dimensions: ..... 455x594x548 mm  
Cavity dimensions: ..... 237 x 480 x 392 mm  
Length electrical supply cord: ..... 150.0 cm  
Net weight: ..... 35.3 kg  
Gross weight: ..... 37.6 kg  
Max. microwave power level: ..... 900 W  
Number of Power Levels: ..... 5  
Turntable: ..... No  
Cavity material: ..... Enamelled steel  
Door opening: ..... Handle  
Clock: ..... Yes  
Included accessories: ..... 1 x combination grid, 1 x universal pan  
Height of the appliance: ..... 455 mm  
Width of the appliance: ..... 594 mm  
Depth of the product: ..... 548 mm  
Max. microwave power level: ..... 900 W  
Connection rating: ..... 3600 W  
Fuse protection: ..... 16 A  
Voltage: ..... 220-240 V  
Frequency: ..... 60; 50 Hz  
Plug type: ..... GARDY plug w/ earthing  
Alternative colors available: ..... CMG636BW1, CMG636BS1  
Required cutout/niche size for installation (in): ..... x  
Dimensions of the packed product: ..... 20.86 x 26.37 x 26.77  
Net weight: ..... 78.000 lbs  
Gross weight: ..... 83.000 lbs



## **Series 8, Built-in compact oven with microwave function, 60 x 45 cm, Black CMG636BB1**

---

### **Type of oven / heating system:**

- Max. Power: 900 W; 5 Microwave power settings (90 W, 180 W, 360 W, 600 W, 900 W) with Inverter (MW)
- Compact oven with microwave with 12 heating methods:
- 4D hot air, Hotair Eco, Conventional heat, Conventional heat ECO, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, Low temperature cooking, Preheating, Hold warm
- Additional heating methods with microwave: Microwave, Combi microwave variable
- Cavity volume: 45 l
- Temperature range 30 °C - 300 °C

### **Design:**

- Rotary swivel
- Bar handle

### **Cleaning:**

- Ecolyse features: back panel, ceiling, side liners

### **Comfort:**

- Intelligent inverter technology: maximum output power will be regulated to 600 W when used in longer operation
- Supporting systems: Programs
- Electronic clock
- Rapid heating-up
- Interior lighting
- Temperature proposal
- Actual temperature display heating-up control Sabbath setting

### **Hook-in racks / rails**

- Number of shelf levels: 3 PC

### **Accessory:**

- 1 x universal pan, 1 x combination grid

### **Environment and Safety:**

- Maximum window temperature 40° C
- Integral cooling fan
- Child lock
- Automatic switch off Start-/Stop button Door contact switch



### **Technical Info:**

- Length of mains cable: 150 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW


### **Dimensions:**

- Appliance dimension (H x W x D): 455 mm x 594 mm x 548 mm
- Niche dimension (hxwx d): 560 mm - 568 mm x 450 mm - 455 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"

**Series 8, Built-in compact oven with  
microwave function, 60 x 45 cm,  
Black  
CMG636BB1**



Installation with a hob.



If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm

