

Series 4, free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Stainless steel look KGN36XL30U



- **VitaFresh:** keeps fresh food crisp for longer – thanks to extra low temperatures for fish and meat & adjustable humidity for fruit and vegetables
- **Perfect Fit:** The appliance can be positioned right next to side walls and furniture - flexible installation possible
- **LED Lighting:** keep your groceries in perfect view.
- **EasyAccess Shelf:** retractable glass shelf for convenient loading and unloading and a perfect view.
- **2 Cooling Systems:** separately controllable refrigerator and freezer compartments

| | |
|---|------------------------|
| Built-in / Free-standing: | Free-standing |
| Number of compressors: | 1 |
| Number of independent cooling systems: | 2 |
| Width of the appliance: | 600 mm |
| Height: | 1860 mm |
| Depth of the product: | 660 mm |
| Net weight: | 71.3 kg |
| Door panel options: | Not possible |
| Door hinge: | Right reversible |
| Number of Adjustable Shelves in fridge compartment: | 2 |
| Shelves for Bottles: | Yes |
| Frost free system: | Fridge |
| Interior ventilator: | No |
| Reversible Door Hinge: | Yes |
| Length electrical supply cord: | 240.0 cm |
| Noise level: | 39 dB(A) re 1 pW |
| Multi-Flow Air Tower: | Yes |
| Fast cooling switch: | Yes |
| Fast freezing switch: | No |
| Temperature Controlled Drawer: | No |
| Humidity Control Drawer: | No |
| Number of Door Bins - Refrigerator: | 3 |
| Door bin adjustability - Refrigerator: | No |
| Tilt-out door bins in fridge: | No |
| Gallon wide door bins: | Yes |
| Number of Gallon storage: | 1 |
| Motorized Shelf: | No |
| Material of the shelves: | Safety glass |
| Door opened indicator freezer: | No |
| Automatic motor-driven ice-maker: | No |
| Connection rating: | 100 W |
| Fuse protection: | 10 A |
| Voltage: | 220-240 V |
| Frequency: | 50 Hz |
| Storage Period in Event of Power Failure (h): | 16 h |
| Door panel options: | Not possible |
| Noise level: | 39 dB(A) re 1 pW |
| Energy Star Qualified: | No |
| Plug type: | Gardy plug w/ earthing |
| Required cutout/niche size for installation (in): | x |
| Dimensions of the packed product: | 75.94 x 26.25 x 29.96 |
| Net weight: | 157.000 lbs |
| Gross weight: | 170.000 lbs |



Series 4, free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Stainless steel look KGN36XL30U

Performance and consumption

- Energy Efficiency Class: A++
- Energy consumption: 260 kWh/yr
- Net capacity: 324 l
- Noise level: 39 dB(A) re 1 pW

Design

- Doors Stainless steel look, side panels Pearl grey (VZF 07127)
- Integrated vertical handle
- LED with Soft Start in fridge section

Comfort and Safety

- NoFrost
- Separate, electronic temperature control, LED indicators
- Two Cooling Systems
- Supercool function
- Super freezing with automatic switch off
- Optical and acoustic door open warning system
- Visual and acoustic warning system in case of malfunction of the freezer compartment

Fridge Section

- Net fridge capacity total: 237 l
- Multi Airflow-System
- 4 safety glass shelves of which 2 are height adjustable
- 3 door bins

Freshness System

- VitaFresh: keeps fresh food crisp for longer

Freezer Section

- Net capacity **** freezer: 87 l
- Freezing capacity: 14 kg/24 h
- Storage time in power failure: 16 h
- 3 transparent freezer drawers
- Calendar frozen food

Dimensions

- Dimensions (H x W x D): 186.0 cm x 60.0 cm x 66.0 cm

Technical Information

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Climate Class: SN-T
- Connected load: 100 W
- Nominal voltage: 220 - 240 V

Accessories

- 3 x egg tray, 1 x ice cube tray with lid

Country Specific Options

- Gross capacity 357 l
- Gross capacity cooling 247 l
- Gross capacity**** freezer: 110 l (-18°C and below)
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.


Environment and Safety

Installation



General Information

**Series 4, free-standing fridge-freezer
with freezer at bottom, 186 x 60 cm,
Stainless steel look
KGN36XL30U**

| Appliance name | a | b | c | d | e | f | g | h |
|----------------------|------|-----|-----|-----|-----|------|-----|----|
| KGN36 (Inner handle) | 1860 | 600 | 660 | 590 | 600 | 1210 | 660 | 12 |
| KGN36 (Outer handle) | 1860 | 600 | 660 | 590 | 640 | 1210 | 700 | 12 |



| Appliance name | a | b | c | d | e | f | g |
|----------------------|------|-----|-----|-----|-----|------|-----|
| KGN36 (Inner handle) | 1860 | 600 | 660 | 590 | 600 | 1210 | 660 |
| KGN36 (Outer handle) | 1860 | 600 | 660 | 590 | 640 | 1210 | 700 |



| Appliance name | A | B | C | D |
|-----------------------|------|----|-----|-----|
| KGN33, 36, 39, 46, 49 | 0/65 | 20 | 590 | 125 |
| KGF39, 49 | 0/65 | 20 | 590 | 125 |

Dimension A:
In models with vertical integrated handles,
in order to open easily, a minimum distance
of 65 mm is needed.

measurements in mm