

Series 4, free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, White
KG N36XW30U



- **VitaFresh:** keeps fresh food crisp for longer – thanks to extra low temperatures for fish and meat & adjustable humidity for fruit and vegetables
- **Perfect Fit:** The appliance can be positioned right next to side walls and furniture - flexible installation possible
- **LED Lighting:** keep your groceries in perfect view.
- **EasyAccess Shelf:** retractable glass shelf for convenient loading and unloading and a perfect view.
- **2 Cooling Systems:** separately controllable refrigerator and freezer compartments

Built-in / Free-standing:	Free-standing
Number of compressors:	1
Number of independent cooling systems:	2
Width of the appliance:	600 mm
Height:	1860 mm
Depth of the product:	660 mm
Net weight:	75.2 kg
Door panel options:	Not possible
Door hinge:	Right reversible
Number of Adjustable Shelves in fridge compartment:	2
Shelves for Bottles:	Yes
Frost free system:	Fridge
Interior ventilator:	No
Reversible Door Hinge:	Yes
Length electrical supply cord:	240.0 cm
Noise level:	39 dB(A) re 1 pW
Multi-Flow Air Tower:	Yes
Fast cooling switch:	Yes
Fast freezing switch:	No
Temperature Controlled Drawer:	No
Humidity Control Drawer:	No
Number of Door Bins - Refrigerator:	3
Door bin adjustability - Refrigerator:	No
Tilt-out door bins in fridge:	No
Gallon wide door bins:	Yes
Number of Gallon storage:	1
Motorized Shelf:	No
Material of the shelves:	Safety glass
Door opened indicator freezer:	No
Automatic motor-driven ice-maker:	No
Connection rating:	100 W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50 Hz
Storage Period in Event of Power Failure (h):	16 h
Door panel options:	Not possible
Noise level:	39 dB(A) re 1 pW
Energy Star Qualified:	No
Plug type:	Gardy plug w/ earthing
Required cutout/niche size for installation (in):	x
Dimensions of the packed product:	75.78 x 25.98 x 30.11
Net weight:	166.000 lbs
Gross weight:	179.000 lbs



Series 4, free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, White KGN36XW30U

Performance and consumption

- Energy Efficiency Class: A++
- Energy consumption: 260 kWh/yr
- Net capacity: 324 l
- Noise level: 39 dB(A) re 1 pW

Design

- Doors White, side panels white
- Integrated vertical handle
- LED with Soft Start in fridge section

Comfort and Safety

- NoFrost
- Separate, electronic temperature control, LED indicators
- Super freezing with automatic switch off
- Optical and acoustic door open warning system
- Visual and acoustic warning system in case of malfunction of the freezer compartment

Fridge Section

- Net fridge capacity total: 237 l
- Multi Airflow-System
- 4 safety glass shelves of which 2 are height adjustable
- 3 door bins

Freshness System

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer.

Freezer Section

- Net capacity **** freezer: 87 l
- Freezing capacity: 14 kg/24 h
- Storage time in power failure: 16 h
- 3 transparent freezer drawers
- Calendar frozen food

Dimensions

- Dimensions (H x W x D): 186.0 cm x 60.0 cm x 66.0 cm

Technical Information

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Climate Class: SN-T
- Connected load: 100 W
- Nominal voltage: 220 - 240 V

Accessories

- 1 egg tray
- Ice cube tray

Country Specific Options

- Gross capacity 357 l
- Gross capacity cooling 247 l
- Gross capacity**** freezer: 110 l (-18°C and below)
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.


Environment and Safety

Installation



General Information

**Series 4, free-standing fridge-freezer
with freezer at bottom, 186 x 60 cm,
White
KGN36XW30U**

Appliance name	a	b	c	d	e	f	g	h
KGN36 (Inner handle)	1860	600	660	590	600	1210	660	12
KGN36 (Outer handle)	1860	600	660	590	640	1210	700	12



Appliance name	a	b	c	d	e	f	g
KGN36 (Inner handle)	1860	600	660	590	600	1210	660
KGN36 (Outer handle)	1860	600	660	590	640	1210	700



Appliance name	A	B	C	D
KGN33, 36, 39, 46, 49	0/65	20	590	125
KGF39, 49	0/65	20	590	125

Dimension A:
In models with vertical integrated handles,
in order to open easily, a minimum distance
of 65 mm is needed.

measurements in mm