

Serie | 4, free-standing fridge-freezer with freezer at bottom, 186 x 70 cm, Inox-look KGN46XL30U



- **XL size:** provides lots of space for your food.
- **Perfect Fit:** The appliance can be positioned right next to side walls and furniture - flexible installation possible
- **LED light:** illuminates the refrigerator evenly without glare, for the life of the appliance.
- **VarioZone:** more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- **EasyAccess Shelf:** retractable glass shelf for convenient loading and unloading and a perfect view.

Technical data

Number of compressors : 1
 Number of independent cooling systems : 2
 : 700 mm
 : 670 mm
 Net weight : 82.0 kg
 Door panel options : Not possible
 : Right reversible
 Number of Adjustable Shelves in fridge compartment : 3
 Shelves for Bottles : Yes
 Interior ventilator : No
 Reversible Door Hinge : Yes
 Length electrical supply cord : 240 cm
 : 40 dB(A) re 1 pW
 Multi-Flow Air Tower : Yes
 Fast cooling switch : Yes
 Fast freezing switch : No
 Temperature Controlled Drawer : No
 Humidity Control Drawer : Yes
 Number of Door Bins - Refrigerator : 3
 Door bin adjustability - Refrigerator : Yes
 Tilt-out door bins in fridge : Yes
 Gallon wide door bins : Yes
 Number of Gallon storage : 1
 Motorized Shelf : No
 Material of the shelves : Safety glass
 Door opened indicator freezer : No
 Automatic motor-driven ice-maker : No
 : 100 W
 Fuse protection : 10 A
 Voltage : 220-240 V
 Frequency : 50 Hz
 Storage Period in Event of Power Failure (h) : 20 h
 Approval certificates : CE, VDE
 : Inox-look
 Door panel options : Not possible
 : 40 dB(A) re 1 pW
 Energy consumption annual - NEW (2010/30/EC) : 288.00 kWh/annum
 Refrigerator Net capacity - NEW (2010/30/EC) : 280 l
 Freezer Net capacity - NEW (2010/30/EC) : 105 l
 Freezing capacity) - NEW (2010/30/EC) : 15 kg/24h
 Energy Star Qualified : No
 Approval certificates : CE, VDE
 Plug type : GARDY plug w/ earthing
 Required cutout/niche size for installation (in) : x x
 Dimensions of the packed product : 75.59 x 29.92 x 30.03
 Net weight : 181.000 lbs
 Gross weight : 195.000 lbs

Included accessories

3 x egg tray
 1 x ice cube tray with lid



4 242002 949093

Serie | 4, free-standing fridge-freezer with freezer at bottom, 186 x 70 cm, Inox-look KGN46XL30U

Environment and Safety

Installation

General Information

Performance and consumption

- Energy Efficiency Class: A++
- Energy consumption: 288 kWh/yr
- Net capacity: 385 l
- Noise level: 40 dB(A) re 1 pW

Design

- Doors Stainless steel look, side panels Pearl grey (VZF 07127)
- Integrated vertical handle
- LED with Soft Start in fridge section

Comfort and Safety

- NoFrost
- Separate, electronic temperature control, LED indicators
- Supercool function
- Super freezing with automatic switch off
- Optical and acoustic door open warning system

Fridge Section

- Net fridge capacity total: 280 l
- Multi Airflow-System
- AirFreshfilter

Freshness System

Freezer Section

- Net capacity **** freezer: 105 l
- Freezing capacity: 15 kg/24 h
- Storage time in power failure: 20 h

Dimensions

- Dimensions (H x W x D): 186.0 cm x 70.0 cm x 67.0 cm

Technical Information

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Climate Class: SN-T
- Connected load: 100 W
- Nominal voltage: 220 - 240 V


Accessories

- 3 x egg tray, 1 x ice cube tray with lid

Country Specific Options

- Gross capacity 415 l
- Gross capacity cooling 287 l
- Gross capacity**** freezer: 128 l (-18°C and below)
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Serie | 4, free-standing fridge-freezer with freezer at bottom, 186 x 70 cm, Inox-look KGN46XL30U



Appliance name	a	b	c	d	e	f	g	h
KGN 46 (Outer handle)	1860	700	670	590	740	1310	710	12
KGN 46 (Inner handle)	1860	700	670	590	710	1310	670	12
KGN 49 (Outer handle)	2030	700	670	590	740	1310	710	12
KGN 49 (Inner handle)	2030	700	670	590	710	1310	670	12

Description	a	b	c	d	e	f	g	h
Height								
Width								
Depth with door closed, without handle								
Cabinet depth								
Width with door opened to 90°								
Depth with door opened, without handle								
Depth with door closed, with handle								
As gap for installation in recess or fixed cabinet								

measurements in mm