

Serie | 6, free-standing fridge-freezer with freezer at bottom, 186 x 86 cm, **Inox-easyclean** KGN86AI30U







Included accessories

- 2 x cold accumulator 3 x egg tray 2 x ice cube tray with lid 1 x bottle holder in door tray

- XXL size: provides much more space for your food.
- Perfect Fit: The appliance can be positioned right next to side walls and furniture - flexible installation possible
- LED light: illuminates the refrigerator evenly without glare, for the life of the appliance.
- VarioZone: more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- NoFrost: never defrost again. Thanks to perfect protection from ice formation. Saves time and effort.

Technical data

Number of compressors: 1

Number of independent cooling systems: 2

:860 mm

: 810 mm

Net weight: 110.7 kg

Door panel options: Not possible

: Right reversible

Number of Adjustable Shelves in fridge compartment: 2

Shelves for Bottles: Yes Interior ventilator: No Reversible Door Hinge: Yes

Length electrical supply cord: 240 cm

: 42 dB(A) re 1 pW Multi-Flow Air Tower : Yes Fast cooling switch : Yes Fast freezing switch: No

Temperature Controlled Drawer: No **Humidity Control Drawer: Yes** Number of Door Bins - Refrigerator : 4 Door bin adjustability - Refrigerator : Yes

Tilt-out door bins in fridge: Yes Gallon wide door bins : Yes Number of Gallon storage: 1

Motorized Shelf: No

Material of the shelves: Safety glass Door opened indicator freezer: No Automatic motor-driven ice-maker: No

: 100 W

Fuse protection: 10 A Voltage: 220-240 V Frequency: 50 Hz

Storage Period in Event of Power Failure (h): 30 h

Approval certificates : CE, VDE

: Inox-easyclean

Door panel options : Not possible

: 42 dB(A) re 1 pW

Energy consumption annual - NEW (2010/30/EC): 378.00 kWh/

Refrigerator Net capacity - NEW (2010/30/EC): 479 I Freezer Net capacity - NEW (2010/30/EC) : 140 | Freezing capacity) - NEW (2010/30/EC) : 20 kg/24h

Energy Star Qualified: No Approval certificates: CE, VDE Plug type: Gardy plug w/ earthing

Required cutout/niche size for installation (in): x x Dimensions of the packed product : $75.98 \times 36.41 \times 34.84$

Net weight: 244.000 lbs Gross weight: 261.000 lbs





Serie | 6, free-standing fridge-freezer with freezer at bottom, 186 x 86 cm, Inox-easyclean KGN86AI30U

Performance and consumption

- Energy Efficiency Class: A++

- Energy consumption: 378 kWh/yr

- Net capacity: 619 I

- Noise level: 42 dB(A) re 1 pW

Design

- Doors inox EasyClean, side panels Pearl grey (VZF 07127)

- Integrated door handle, white

- LED with Soft Start in fridge section

Comfort and Safety

- NoFrost
- Premium Touchcontrol electronic
- Supercool function
- Super freezing with automatic switch off
- Optical and acoustic door open warning system
- Holiday mode Economy setting Child lock

Fridge Section

- Net fridge capacity total: 479 l
- Multi Airflow-System
- AirFreshfilter
- 6 door bins, there of 2x dairy compartment
- Pull-out tray with Breakfast box

Freshness System

- VitaFresh plus: keeps food fresh for up to twice as long

Freezer Section

- Net capacity **** freezer: 140 l
- Freezing capacity: 20 kg/24 h
- Storage time in power failure: 30 h
- 2 transparent freezer drawers

Dimensions

- Dimensions (H x W x D): 186.0 cm x 86.0 cm x 81.0 cm

Technical Information

- Door right hinged, reversible
- Height adjustable front feet, roles in the back

Climate Class: SN-TConnected load: 100 WNominal voltage: 220 - 240 V

Accessories

- 2 x ice cube tray with lid, 1 x bottle holder in door tray, 2 x cold accumulator, 3 x egg tray

Special Accessories

Country Specific Options

- Gross capacity 682 I
- Gross capacity cooling 496 I
- Gross capacity**** freezer: 186 I (-18°C and below)
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Environment and Safety

Installation

General Information



Serie | 6, free-standing fridge-freezer with freezer at bottom, 186 x 86 cm, Inox-easyclean KGN86AI30U

Appliance name	а	b	С	d	е	f	g	h
KGN86 (inner handle)	1860	860	810	720	870	1610	810	12
KGN86 (outer handle)	1860	860	810	720	910	1610	850	12
	a	a He b Wi c De d Ca e Wi f De g De	binet d dth with opth with opth with	n door depth n door d n door d	pened lipened losed, lation in	with han recess o	dle or fitted	cabinet