

**iQ700, Warmer Drawer, 60 x 14 cm, Black
BI710C1B1**



HZ32WA00 Wireless food thermometer

The intelligent touchControl multifunctional warming drawer with Home Connect for control at any time from anywhere.

- ✓ push&pull – No-handle drawer, that’s easy to open and close.
- ✓ The 14 cm high multifunctional warming drawer is ideally combined with a 45 cm compact appliance.
- ✓ Home Connect – Control the multifunctional warming drawer at any time from wherever you want.
- ✓ Slow cooking: for slow and gentle cooking at a low temperature.
- ✓ Keep warm: for keeping cooked dishes warm.

Design: Built-in
 Maximum number of plates: 12
 Maximum number of espresso cups: 64
 Dimensions: 140 x 594 x 518 mm
 Dimensions of the packed product (HxWxD): ... 260 x 650 x 700 mm
 Min. required niche size for installation (HxWxD): .. 140 x 560 x 550 mm
 EAN code:4242003900123
 Fuse protection:10 A
 Voltage:220-240 V
 Frequency:50; 60 Hz
 Plug type: Gardy plug w/ earthing



**iQ700, Warmer Drawer, 60 x 14
cm, Black
BI710C1B1**

Design:

Comfort:

- User-friendly electronics: extremely
- easy and comfortable operation
- Heating plate made of toughened glass
- Cavity volume: 20 l
- Loading up to 25 kg
- Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC
- Temperature control in 4 levels: ca. 30°C - 80°C (glass surface temperature)
- Push & Pull

Technical Info:

- Length of mains cable: 175 cm
- Total connected load electric: 0.82 KW
- Nominal voltage: 220 - 240 V

Dimensions:

- Appliance dimension (hxwxd): 140 mm x 594 mm x 518 mm
- Niche dimension (hxwxd): 140 mm x 560 mm - 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"
- Multifunctional warming drawer with the heating functions: low temperature cooking, Hold warm setting, plate warming, cup warming

iQ700, Warmer Drawer, 60 x 14 cm, Black
BI710C1B1

Measurements in mm



A: 7.5 mm

Compact ovens with appliance height of 455 mm can be installed above the warming drawer without an intermediate floor

Measurements in mm

