

## iQ700, Built-in Fully Automatic Coffee Machine, Stainless steel CT636LES1



Built-in coffee center with oneTouch Function for perfect coffee indulgence.



- ✓ Fully automatic steam cleaning and optimal hygiene thanks to autoMilk Clean.
- ✓ ceramDrive: High-quality grinder made of wear-resistant ceramic
- ✓ coffeeSensor System: The intelligent grinder adapts to each bean variety and always grinds the perfect quantity
- ✓ Any drink at the touch of a button - prepare even two milk specialities at the same time with oneTouch DoubleCup.
- ✓ oneTouch Function: All coffee specialities at the touch of a button - no matter whether it's espresso, cappuccino or latte macchiato

TZ70003	1 x Brita Filter for EQ Coffee Machine
TZ80001A	Cleaning tablets
TZ80001B	10 x Cleaning Tablets for EQ Coffee Mach
TZ80002A	Descaling tablets
TZ80002B	3 x Descaling Tablets for EQ Coffee Mach
TZ80004A	Care set espresso
TZ80004B	Care Set for EQ Coffee Machines
TZ80009N	Insulated milk container


Design: ..... Built-in  
 Frothing nozzle: ..... No  
 Display: ..... No  
 Water protection system: ..... No  
 Portion sizes: ..... All cups  
 Dimensions: ..... 455 x 594 x 385 mm  
 Dimensions of the packed product (HxWxD): ... 540 x 478 x 670 mm  
 Min. required niche size for installation (HxWxD): .. 449 x 558 x 356 mm  
 EAN code: ..... 4242003645437  
 Fuse protection: ..... 10 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50/60 Hz  
 Plug type: ..... GARDY plug w/ earthing



**iQ700, Built-in Fully Automatic  
Coffee Machine, Stainless steel  
CT636LES1**




Bean and water containers are removed from the front. Recommended installation height 95-145 cm. measurements in mm



Bean and water containers are removed from the front. Recommended installation height 95-145 cm. measurements in mm

**left corner installation**



If using the 92° hinge limiter (spare part no. 00636455), the minimum distance to the wall is only 100 mm. measurements in mm

