

iQ700, Built-in Fully Automatic Coffee Machine, Stainless steel CT636LES6



TZ80004A	Care set espresso
TZ80004B	Care Set for EQ Coffee Machines
TZ80009N	Insulated milk container
TZ70003	1 x Brita Filter for EQ Coffee Machine
TZ80001A	Cleaning tablets
TZ80001B	10 x Cleaning Tablets for EQ Coffee Mach
TZ80002A	Descaling tablets
TZ80002B	3 x Descaling Tablets for EQ Coffee Mach
Y988081300 :	
Y988081012 :	
Y988081302 :	
Y988081303 :	

Built-in coffee center with Home Connect for perfect coffee indulgence with highest comfort.

- ✓ Intelligent Heater inside: The sensoFlow System guarantees maximum espresso indulgence every time, thanks to its ideal, constant brewing temperature
- ✓ coffeeSensor System: The intelligent grinder adapts to each bean variety and always grinds the perfect quantity
- ✓ Control your fully automatic espresso machine from anywhere with the innovative Home Connect App.
- ✓ Fully automatic steam cleaning and optimal hygiene thanks to autoMilk Clean.
- ✓ Any drink at the touch of a button - prepare even two milk specialities at the same time with oneTouch DoubleCup.

Design: ..... Built-in  
Frothing nozzle: ..... No  
Display: ..... No  
Water protection system: ..... No  
Portion sizes: ..... All cups  
Dimensions: ..... 455 x 594 x 385 mm  
Dimensions of the packed product (HxWxD): ... 540 x 478 x 670 mm  
Min. required niche size for installation (HxWxD): .. 449 x 558 x 356 mm  
EAN code: ..... 4242003703595  
Fuse protection: ..... 10 A  
Voltage: ..... 220-240 V  
Frequency: ..... 50/60 Hz  
Plug type: ..... GARDY plug w/ earthing



## iQ700, Built-in Fully Automatic Coffee Machine, Stainless steel CT636LES6

### Flavour

- Innovative heating system "senso flow system"
- One-touch function for Cappuccino, Espresso macchiato, Latte macchiato, Caffè Latte, personalised milk mix beverage
- aromaDouble Shot - Extra strong coffee without compromise in aroma
- Beverage temperature adjustable individually: Coffee: 3 grades, Hot water: 4 grades
- optional Brita Intenza water filter: Improves the coffee's taste and prolongs the appliance's life

### Convenience

- TFT display with interactive menu
- Coffee outlet yesheight-adjustable: Even 15cm high Latte Macchiato glasses fit underneath
- Cappuccino: Prepare two cups simultaneously for all coffee and milk specialities
- Removable 2.4 litre water tank
- early warning when bean container or water tank are close to empty
- Flexible milk solution: Decide for yourself if you prefer connecting the yes milk container or using any other container, e.g. a milk carton
- Short user manual always at hand inside appliance

### Performance

- High-value ceramic grinding unit "silent ceram drive"
- yes: The grinding unit automatically adjusts to bean variety
- One-touch coffee milk specialities with especially fine-pored milk froth thanks to an innovative milk frother
- Yes and Yes available separately
- Reduced heating-up time: fastest first cup
- Water pump with 15 bar pressure
- Separate container for pre-grounded coffee
- 15.000 cup warranty: Consistently high appliance quality from the first cup to the 15,000th (valid for non-commercial use within 12 months)

### Home Connect

- Discover the new way of controlling home appliances: by app. The Home Connect app allows you to access the appliance from anywhere - at home using WiFi, when away from home using the mobile phone network.
- Remote start: Select and configure beverages in the app, then remotely start the beverage preparation
- coffeeWorld: 15 additional international coffee specialties are available in the app - from Indian Kaapi to Vienna Melange to Colombian Cortado
- Coffee recipes: The app offers a variety of recipes involving coffee, which can be transferred to the appliance or a Home Connect capable oven - from Espresso Crème brûlée to saddle of venison with coffee crunches
- Coffee know-how: The app includes interesting knowledge around the topic coffee, e.g. bean varieties, harvesting methods or roasting techniques

- User manual: A digital user manual is ready to hand at all times in the app
- Customer service: In case of technical problems, the A02 customer service is able to access the appliance virtually - if you want so
- Security: Security is of top priority at Home Connect. The Home Connect app has been tested and certified by TÜV IT. And the encrypted data transfer via Home Connect protocol protects against unauthorised access.
- The availability of the Home Connect functionality depends on the availability of Home Connect services in your country. Home Connect services are not available in every country – for further information please check [www.home-connect.com](http://www.home-connect.com)

### Hygiene

- yes
- steam blast: Fully-automatic steam cleaning of the milk system after every beverage
- All milk nozzle parts are easily removable, easy to clean & dishwasher-proof
- yes
- Automatic quick rinse programme when switched on or off
- Removable drip dish including container for coffee grounds
- Fully automatic descaling & cleaning programme
- Display of remaining cups before Decalcification, Cleaning, Change of water filter


### Miscellaneous

- Containers for water, milk and coffee beans are easily accessible but hidden behind a door, so the kitchen always looks clean
- Bean container with aroma preserving lid for up to 500grams
- Adjustable grind settings (multilevel)
- Different display languages available
- child-proof lock: key lock preventing unintended brewing cycle
- Wattage: 1600 W


### Accessories

- Separate milk container with thermally insulated aluminium housing (0.7 l volume)
- Included accessories: assembly screws, connection hose for milk frother, milk container (insulated), milk pipe, scoop, test strip
- Separately available accessories: cleaning tablets (TZ60001), descaling tablets (TZ60002), BRITA Intenza water filter (TZ70003), care set for fully-automatic espresso makers (TZ80004), insulated milk container (TZ80009N)

iQ700, Built-in Fully Automatic  
Coffee Machine, Stainless steel  
CT636LES6




measurements in mm



Bean and water containers  
are removed from the front.  
Recommended installation  
height 95-145 cm.


measurements in mm



Bean and water containers  
are removed from the front.  
Recommended installation  
height 95-145 cm.

measurements in mm

left corner installation



If using the 92° hinge limiter  
(spare part no. 00636455),  
the minimum distance to the wall  
is only 100 mm.

measurements in mm

