

Series 8, Built-in Fully Automatic Coffee Machine, Stainless steel CTL636ES1



TCZ7003 Accessories small appliances

TCZ8001A Cleaning tablets
TCZ8002A Descaling tablets
TCZ8004A Care set espresso
TCZ8009N insulated milk container

Y988081012 : Y988081300 : Y988081302 : Y988081303 :

The built-in coffee center with OneTouch Function: offers great variety and highest comfort.


- AromaDouble Shot: Extra-strong coffee with less bitterness thanks to two grinding and brewing processes
- CeramDrive: High-quality grinder made from non-wearing ceramic
- Intelligent Heater inside: Perfect brewing temperature and full aroma with the SensoFlow System
- OneTouch DoubleCup: Your choice of espresso or milk drinks with a click even two cups at once.
- OneTouch Function: All espresso drinks at the touch of a button whether espresso or cappuccino.

Built-in / Free-standing:	Built-in
Frothing nozzle:	No
Display:	No
Water protection system:	No
Portion sizes:	All cups
Dimensions:	455 x 594 x 375 mm
Dimensions of the packed product (HxWxD): .	550 x 480 x 670 mm
Min. required niche size for installation (HxW)	(D):449 x 558 x 356
mm	
EAN code:	4242002769226
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50/60 Hz
Plug type:	Gardy plug w/ earthing





Series 8, Built-in Fully Automatic Coffee Machine, Stainless steel CTL636ES1



min. 400

356

450+2


560+8

449


594

19

Bean and water containers are removed from the front.
Recommended installation height 95-145 cm. measurements in mm



Bean and water containers are removed from the front.
Recommended installation height 95-145 cm. measurements in mm



If using the 92° hinge limiter (spare part no. 00636455), the minimum distance to the wall is only 100 mm. measurements in mm

