

**Serie | 6, Island Extractor Hood, 90 cm, clear glass
DIA098E50**

A



The island chimney hood: the perfect solution for your cooking island thanks to flexible ceiling mounting.

- **Extraction rate:** at 790 m³/h, it quickly ensures optimal kitchen air quality.
- **LED lighting:** for perfect, very energy-efficient illumination of the hob.
- **Intensive speed setting with reset:** automatically resets the hood to normal speed setting after 6 min..
- **Especially quiet:** high performance at just 44 dB.

Technical data

Color chimney :	Stainless steel
Typology :	Chimney
Approval certificates :	CE, Ukraine, VDE
Length electrical supply cord (cm) :	130
Height of the chimney (mm) :	699-879/699-999
Height of product, without chimney (mm) :	52
Net weight (kg) :	31.408
Type of control :	Electronic
Number of speed settings :	3-stage + 2 intensive
Maximum output air extraction (m ³ /h) :	430
Boost position output recirculating (m ³ /h) :	360
Maximum output recirculating air (m ³ /h) :	290
Boost position air extraction (m ³ /h) :	790
Number of lights :	4
Noise level (dB(A) re 1 pW) :	58
Diameter of air outlet (mm) :	150 / 120
Grease filter material :	Washable aluminium
Odour filter :	No
Operating Mode :	Convertible
Delay Shut off modes :	10M
Optional accessories :	
DHZ1230, DHZ1240, DHZ1245, DHZ1250, DHZ1252, DHZ1255, DHZ5326, DHZ5365, DSZ5201, DSZ6220, DZZ0XX0P0	
Type of lamps used :	LED
Total power of the lamps (W) :	12
Grease filter type :	Kassette
Connection Rating (W) :	172
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Plug type :	Gardy plug w/ earthing
Installation typology :	Island
Material body :	Glass, Stainless steel
Approval certificates :	CE, Ukraine, VDE
Plug type :	Gardy plug w/ earthing
Dimensions of the product, with chimney (if exists) (in) :	/ x x
Dimensions of the packed product (in) :	34.84 x 24.01 x 40.55
Net weight (lbs) :	69
Gross weight (lbs) :	89
Motor location :	Integrated motor in hood chimney
No-return airflow flap :	No
Length electrical supply cord (cm) :	130
Dimensions of the product, with chimney (if exists) (mm) :	744 - 1044 x 900 x 680
Dimensions of the packed product (HxWxD) (mm) :	885 x 610 x 1030
Net weight (kg) :	31.408
Gross weight (kg) :	40.5

Optional accessories

- DHZ5326 : Standard odor filter (replacement)
DHZ5365 : Standard recirculation kit



4 242002 775432

Serie | 6, Island Extractor Hood, 90 cm, clear glass DIA098E50

The island chimney hood: the perfect solution for your cooking island thanks to flexible ceiling mounting.

Design:

- Glass brand design
- Brushed steel with glass canopy
- Island extractor
- 90 cm wide
- Designed for ceiling mounted installation

Operating and power:

- Intensive op. revert dur.: 6 min.
- Twin channel high performance fan motor
- Extraction rate according to DIN/EN 61591 ø 15 cm: max.
Normal 430 m³/h Intensive 790 m³/h

Comfort and Safety:

- Glass plate clear glass
- Suitable for ducted or recirculating operation
- Recirc. kit or clean air kit
- push button controls with 7-segment display
- Electronic controls via push button controls with 7-segment display
- Light dimmer function
- softlight dimmer function
- Removable metal grease filters, dishwasher safe
- grease- and charcoal filter

Measures:

Technical information:

- Power rating: 172 W
- Average Energy Consumption: 36.4 kWh/year*
- Noise max. Normal Level: 58 dB*

Serie | 6, Island Extractor Hood, 90 cm, clear glass
DIA098E50

