


iQ500, Gas Hob, 90 cm, Tempered glass, Black EP9A6QI40M



Tempered glass gas hob with stepFlame Technology for precise flame control, with detachable knobs and semi-continuous pan supports for an easy cleaning.

- ✓ stepFlame Technology: Precise flame control with nine different settings
- ✓ Detachable metallic sword knobs: Easily removable for easy cleaning and precise cooking control
- ✓ Semi-continuous pan support: Easy to handle and easy to clean
- ✓ Wok burner with 4.0 kW: Fast cooking with even heat distribution
- ✓ Black tempered glass surface: Extremely heat-resistant

HZ32WA00 wireless roastingSensor

Product name/family: gas hob w integrated controls
 Design: Built-in
 Type of heating: Gas
 Total number of positions that can be used at the same time: 5
 Required niche size for installation (HxWxD):45 x 850-850 x 490-500 mm
 Width of the appliance: 915 mm
 Dimensions: 45x915x520 mm
 Dimensions of the packed product (HxWxD):170x1110x660 mm
 Net weight: 23.0 kg
 Gross weight: 26.4 kg
 Residual heat indicator: No
 Location of control panel: Front
 Basic surface material: Tempered glass
 Color of surface: Black
 Color of frame: Black
 Length electrical supply cord: 100 cm
 EAN code:4242003966822
 Gas connection rating: 11500 W
 Fuse protection:3 A
 Voltage:220-240 V
 Frequency:50; 60 Hz



iQ500, Gas Hob, 90 cm, Tempered glass, Black EP9A6QI40M

Design

- tempered glass surface, black
- frameless design: install the hob either flush or slightly raised on the worktop
- Cast iron separable w rub feet
- full metal

Comfort & Convenience

- step valve 9 steps: precisely adjust the flame in nine defined and repeatable levels.
- Sword Knobs, front: easily access knobs in front with strong grip for effortless turning.
- Ignition via control dials: just push and turn the knob to ignite the flame.

Burners and power

- 5 PC
- Left front: Economy burner up to 1 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Center front: Wok burner up to 4 KW (depending on gas type)
- Right rear: High speed burner up to 3 KW (depending on gas type)
- Right front: Standard burner up to 1.75 KW (depending on gas type)

Cleaning

- detachable for easy cleaning between knobs.
- yes for easy cleaning.
- Cast iron separable w rub feet: little weight and compact form, yet high stability due to continuous surface.


Safety

- Flame failure safety device: prevents unwanted gas flow when flame goes out.

Installation (gas types & measurements)

- Preset of liquid gas (28-30/37mbar)
- Nozzle set for Natural gas nozzles (20 mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 54 x 915 x 520
- Required niche size for installation (HxWxD mm) : 45 x 850 x (490 - 500)
- Min. worktop thickness: 20 mm
- Power cord: 1 m
- Connected load: 11.5 KW

iQ500, Gas Hob, 90 cm, Tempered glass, Black EP9A6QI40M



A: Min. distance from the hob cut-out to the wall

B: Position of gas connection in the cut-out

C: With fitted oven underneath possibly more; see space requirements for the oven

For worktop thickness between 12 mm to 20 mm need additional spacer, contact customer service for details