


## iQ700, Gas Hob, 90 cm, Ceramic, Black ER9A6SB70Z



HZ298105	Simmer plate
HZ298114	Small pot support

Gas cooktop with stepFlame Technology for precise flame control in nine steps.

- ✓ stepFlame Technology: precise heat control with nine different flame steps.
- ✓ Dishwasher proof pan supports are extremely easy to remove and clean in the dishwasher. Cut down the time you spend cleaning the hob.
- ✓ High-quality materials and workmanship – continuous cast-iron pan supports.
- ✓ Design burner – extremely flat in comparison to standard burner.
- ✓ Extremely heat-resistant and easy to clean – the modern glass ceramic surface.

Product name/family: ..... gas hob w  
integrated controls  
 Design: ..... Built-in  
 Type of heating: ..... Gas  
 Total number of positions that can be used at the same time: 5  
 Type of control setting devices: ..... sword knobs  
 Min. required niche size for installation (HxWxD): ....45 x 850-852 x  
 490-502 mm  
 Width of the appliance: ..... 912 mm  
 Dimensions: ..... 59 x 912 x 520 mm  
 Dimensions of the packed product (HxWxD): . 165 x 1116 x 659 mm  
 Net weight: ..... 18.4 kg  
 Gross weight: ..... 20.8 kg  
 Residual heat indicator: ..... No  
 Location of control panel: ..... Front  
 Basic surface material: ..... Ceramic  
 Color of surface: ..... Black, Alu, brushed  
 Color of frame: ..... Black  
 Length electrical supply cord: ..... 100.0 cm  
 EAN code: .....4242003929216  
 Gas connection rating: ..... 13800 W  
 Fuse protection: .....3 A  
 Voltage: .....220-240 V  
 Frequency: .....50; 60 Hz



## iQ700, Gas Hob, 90 cm, Ceramic, Black ER9A6SB70Z

### Design

- ceramic glass surface, black
- Facette front, rear, side profiles, aluminium, brushed
- cast iron pan support
- BSH flat burner: elegant burner design with less pieces

### Comfort & Convenience

- Step valve 9 steps: precisely adjust the flame in nine defined and repeatable levels.
- yes: clean without effort in the dishwasher.
- Sword Knobs: easily access knobs in front with strong grip for effortless turning.
- Ignition via control dials: just push and turn the knob to ignite the flame.

### Burners and power

- 5 PC
- Right rear: High speed burner up to 2.8 KW (depending on gas type)
- Right front: Standard burner up to 1.9 KW (depending on gas type)

### Safety

- Flame failure safety device: prevents unwanted gas flow when flame goes out.

### Installation (gas types & measurements)

- Usable for: NG H/E 20mbar, E+ 20/25mbar
- Liquid gas G30,31 28-30/37mbar
- Preset of liquid gas (28-30/37mbar)
- Nozzle set for Natural gas nozzles (20 mbar) included. Nozzle for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Required niche size for installation (HxWxD mm) : 45 x 850 x (490 - 502)
- Min. worktop thickness: 30 mm
- Dimensions of the product (HxWxD mm): 59 x 912 x 520
- ER9A6SB70Z
- Gas hob, autarkic, 90 cm
- Connected load: 13.8 KW
- Power cord: 1 m

**iQ700, Gas Hob, 90 cm, Ceramic,  
Black  
ER9A6SB70Z**

