

iQ700, Built-in oven with steam function, 60 x 60 cm, Black HS736G3B1



1 x enamel baking tray, 1 x grid, 1 x universal pan, size XL, punched, 1 x steam container, unpunched, size M

AOVG9MC00S Mech. Child safety lock (Gap size:10mm), HZ32WA00 Wireless food thermometer, HZ530000 2 multipurpose pans, slim size, HZ531010 Baking tray, non-stick ceramic coated, HZ532010 Universal pan, non-stick ceramic coated, HZ617000 Pizza pan, enamelled, HZ629070 Air Fry & Grill tray, HZ631070 Baking tray, enamelled, HZ632070 Multipurpose pan, enamelled, HZ633001 Lid for professional pan, enamelled, HZ633070 Professional pan with grid, enamelled, HZ633073 Professional pan, enamelled, HZ635000 AirFry & Grill Set, HZ636000 Glass pan, HZ638D00 Full ext rails, level independent, steam, HZ664000 Baking and roasting grid (steam), HZ66D52 2 steamcontainer(punched/unpunched)sizeM, HZ66X650 Cover Strip, HZ915003 Glass roasting dish, 5,4 L, HZG0AS00 Connecting cable 3m

- ✓ fullSteam Plus – Fast and healthy steam-cooking.
- ✓ cookControl Pro – Excellent results, whatever the recipe or circumstances.
- ✓ roastingSensor Plus – Perfect roasting results.
- ✓ 4D hotAir: flexible choice of shelf.
- ✓ fastPreheat: reach the required baking temperature sooner;
- coolStart: no need to preheat the oven for deep frozen food.

Design: ..... Built-in  
Door opening: ..... Drop down  
Required niche size for installation (HxWxD): ..585-595 x 560-568 x 550 mm  
Dimensions: ..... 595x594x548 mm  
Dimensions of the packed product (HxWxD): ... 675 x 660 x 690 mm  
Control Panel Material: .....Glass  
Door Material: .....Glass  
Net weight: ..... 39.2 kg  
Length electrical supply cord: ..... 120.0 cm  
EAN code: .....4242003902547  
Fuse protection: .....16 A  
Voltage: .....220-240 V  
Frequency: .....50; 60 Hz  
Plug type: ..... Gardy plug w/ earthing  
Usable volume (of cavity) - NEW (2010/30/EC): ..... 71 l  
Energy efficiency: .....A+: efficient  
Energy consumption per cycle conventional (2010/30/EC): .....0.87 kWh/cycle  
Energy consumption per cycle forced air convection (2010/30/EC): 0.69 kWh/cycle  
Energy efficiency index (2010/30/EC): ..... 81.2 %  
Included accessories: 1 x enamel baking tray, 1 x grid, 1 x universal pan, 1 x steam container, punched, size XL, 1 x steam container, punched, size M, 1 x steam container, unpunched, size M



## iQ700, Built-in oven with steam function, 60 x 60 cm, Black HS736G3B1

### Type of oven / heating system:

- Combi-steam oven with 21 heating methods: 4D hot air, Conventional cooking, hot air grilling, Full width grill, Half width grill, Intensive hot air, Deep-frozen food special, Bottom heat, low temperature cooking, Plate warming setting, Hold warm setting, Hotair gentle, Conventional heat gentle, steam 100%, regeneration, fermentation, defrost, Hot air grilling, warming, 4D Hot air, Conventional heat
- Temperature range 30 °C - 250 °C
- 120 °C
- Cavity volume: 71 l

### Hook-in racks / rails

- Number of shelf levels: 5 PC
- Accessory

### Design:

- Touch control
- Cavity inner surface: enamel anthracite

### Cleaning:

- Ecolyse features: back panel
- hydrolyse program

### Comfort:

- Oven Assistant with Voice Control
- LED clock and automatic programmer
- Temperature proposal
- Actual temperature display Heating-up control
- Drop down door, soft closing, soft opening
- Supporting systems: Dish categories
- yes
- Rapid heating-up
- coolStart
- steam boost - add for 3min intensive steam with a touch of a button.
- There are different steam intensities selectable: steam level high, steam level middle, steam level low
- LED light, Independent oven interior light button
- Yes
- Integral cooling fan
- WLAN

### Accessory:

- 1 x universal pan, 1 x steam container, punched, size M, 1 x steam container, unpunched, size M, 1 x enamel baking tray, 1 x grid, 1 x steam container, punched, size XL

### Comfort and Safety:

- Maximum window temperature 40° C
- Triple glazed door with heat reflective glass CoolTouch door
- Child safety button
- Automatic safety switch off residual heat indicator start button door contact switch

### Technical Info:


- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A+
- Energy consumption per cycle in conventional mode:0.87 kWh
- Energy consumption per cycle in fan-forced convection mode:0.69 kWh
- Number of cavities: 1 Heat source: electrical Cavity volume:71 l

### Dimensions:


- Appliance dimension (h x w x d): 595 mm x 594 mm x 548 mm
- Niche dimension (h x w x d): 560 mm - 568 mm x 585 mm - 595 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"

iQ700, Built-in oven with steam function, 60 x 60 cm, Black  
HS736G3B1



Installing two appliances on top of each other  
Air exchange



A: Air inlet  $\geq 200\text{ cm}^2$



measurements in mm



Space for appliance connection 320 x 115

measurements in mm

If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

