


Series 4, Mixed cooker, Stainless steel HXQ38AE50M

A'''
↑
D





- EcoClean Direct: almost no cleaning is necessary thanks to a special coating of the rear wall that automatically absorbs grime.
- Cast Iron Pan Support provides extra support for your heavier pots and pans.
- Full Safety automatically cuts off the supply of gas to your burner and oven at the same time, if the flame is extinguished for any reason.

Built-in / Free-standing:	Free-standing
Dimensions:	850-865x600x600 mm
Length electrical supply cord:	146.0 cm
Net weight:	53.9 kg
Gross weight:	58.1 kg
EAN code:	4242005043927
Number of cavities (2010/30/EC):	1
Usable volume (of cavity) - NEW (2010/30/EC	C): 66 l
Energy efficiency class:	A
Energy consumption per cycle conventional (2010/30/EC):0.98
kWh/cycle	
Energy consumption per cycle forced air conv	vection (2010/30/EC):79
kWh/cycle	
Energy efficiency index (2010/30/EC):	95.2 %
Connection rating:	3300 W
Fuse protection:	16 A
Voltage:	220-240 V
Frequency:	50-60 Hz
Plug type:No plug (electrical co	onnection by electrician)



HEZ25E900	Set of 4 flooks for EasyStore
HEZ25E901	Set of 2 hooks and 1 bar for EasyStor
HEZ317000	Pizza pan, enamelled
HEZ327000	Pizza stone
HEZ333001	Lid for professional pan
HEZ333073	Professional pan, suit. pyrolytic clean
HEZ429001	Air Fry & Grill tray, anthracite
HEZ431002	Baking tray, enamelled
HEZ625071	Grill tray, anthracite
HEZ864000	Glass tray
HEZ915003	Glass roasting dish, 5,4 L



Series 4, Mixed cooker, Stainless steel HXQ38AE50M

Cooktop:

- The freestanding cooker with gas cooktop and electric oven
- Burners: 2 standard, 1 economy, 1 high speed
- Front left: High-speed burner 3 KW
- Rear left: Standard burner 1.75 KW
- Rear right: Standard burner 1.75 KW
- Front right: Economy burner 1 KW
- Ignition via control knobs
- Flame failure safety device
- Cast iron pan supports
- glass cover lid

Type of oven / heating system:

- Gas combination freestanding cooker with 6heating methods:
- Hot air cooking, Conventional top and bottom heat, Hot air grilling, Defrost setting
- Temperature range 50 °C 275 °C
- Cavity volume: 66 l

Hook-in racks / rails

- Smooth oven interior
- Telescopic rails retrofitable

Design:

Cleaning:

- Ecolyse features: back panel
- Full glass inner door

Comfort:

- Electronic clock
- Rapid heating-up
- 21cm panel (one rail)

Accessory:

- 1 x enamel baking tray, 1 x universal pan, 1 x grid, 1 x cross support for espresso

Comfort and Safety:

- Safety lock
- Energy efficiency rating (acc. EU Nr. 65/2014): A(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.98 kWh
- Number of cavities: 1 Heat source: electrical Cavity volume:66 l

Technical Info:


- Length of mains cable: 146 cm
- Nominal voltage: 220 240 V
- Total connected load electric: 3.3 KW
- Total connected load gas: 7.5 KW
- Preset of liquid gas (28-30/37mbar)
- Natural gas nozzles (20 mbar) included


Dimensions

- Appliance dimension (hxwxd): 850 mm x 600 mm x 600 mm
- Adjustable feet



Series 4, Mixed cooker, Stainless steel HXQ38AE50M





measurements in mm