


**Serie | 4, Freestanding Fridge-freezer  
(Bottom freezer), 186 x 60 cm,  
KGD36VI30**



**A++**



**The NoFrost bottomfreezerwith A++ rating  
and Waterdispenser.**

- **Energy efficiency class A++:** cools especially efficiently.
- **Water dispenser:** dispenses cool water at the push of a button.
- **ChillerBox:** cooler than the other cooling areas - keeps meat and fish fresh up to 2 times longer.
- **NoFrost:** never defrost
- **NoFrost:** never defrost
- again, thanks to perfect protection from ice formation - that saves time and effort.
- **CrisperBox:** fruits and vegetables stay fresh longer, thanks to humidity control.
- **MultiAirflow System:** constant air circulation on all levels - for longer freshness.

**Technical data**

Built-in / Free-standing :	Free-standing
Number of compressors :	1
Number of independent cooling systems :	2
Width of the product (mm) :	600
Depth of the product :	650
Net weight (kg) :	78.804
Door panel options :	Not possible
Door hinge :	Right reversible
Number of Adjustable Shelves in fridge compartment :	2
Shelves for Bottles :	Yes
Frost free system :	Fridge and freezer
Interior ventilator :	No
Reversible Door Hinge :	Yes
Length electrical supply cord (cm) :	240
Noise level (dB(A) re 1 pW) :	42
Multi-Flow Air Tower :	Yes
Fast cooling switch :	No
Fast freezing switch :	No
Temperature Controlled Drawer :	No
Humidity Control Drawer :	No
Number of Door Bins - Refrigerator :	3
Door bin adjustability - Refrigerator :	No
Tilt-out door bins in fridge :	No
Gallon Storage :	Yes
Number of Gallon storage :	1
Motorized Shelf :	No
Material of the shelves :	Glas, plastic, support grid, wood
Door opened indicator freezer :	Yes
Automatic motor-driven ice-maker :	No
Connection Rating (W) :	160
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50
Storage Period in Event of Power Failure (h) :	16
Approval certificates :	CE, Morocco, VDE
Door panel options :	Not possible
Noise level (dB(A) re 1 pW) :	42
Energy Star Qualified :	No
Approval certificates :	CE, Morocco, VDE
Plug type :	Gardy plug w/ earthing
Required cutout/niche size for installation (in) :	x x
Dimensions of the packed product (in) :	74.80 x 25.59 x 29.13
Net weight (lbs) :	174
Gross weight (lbs) :	179

**Included accessories**

- 1 x berry tray
- 1 x egg tray
- 1 x ice cube tray



4 242002 735573

## **Serie | 4, Freestanding Fridge-freezer (Bottom freezer), 186 x 60 cm, KGD36VI30**

### **The NoFrost bottomfreezerwith A++ rating and Waterdispenser.**

---

- Energy efficiency class: A++
- Doors inox EasyClean, side panels Steel Look
- Indoor Chilled Water
- Frost free - never again defrosting
- LED electronic control
- Auto defrost
- Superfreeze Function
- Acoustic Door Open Warning

#### **Fridge Section**

- Net capacity refrigeration zone: 233 l
- Multi Airflow-System
- 4 safety glass shelves of which 2 is height adjustable
- Wine Rack
- 3 door bins
- LED in fridge section
- Removable Yes, Capacity of Water Tank: 2.5 l

#### **Freshness System**

- 1 vege.cont.w.int.humi.control with humidity control - keeps fruit and vegetables fresh
- Near 0° Compartment - keeps fish and meat up to 2 x longer fresh!

#### **Freezer Section**

- Net freezer capacity 86 litres
- Freezing capacity: 14 kg in 24 hours
- Storage time in power failure: 16 Hours
- Safety glass
- 3 transparent freezer drawers
- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- 1 x berry tray, 1 x egg tray, 1 x ice cube tray
- Dimensions: H 186 cm x L 60 cm x D 65 cm
- Rated Voltage 220 - 240 V
- Connected load 160 W

## Serie | 4, Freestanding Fridge-freezer (Bottom freezer), 186 x 60 cm, KGD36VI30



Appliance Name	a	b	c	d	e	f	g	h
KGN3436 (ext. handle)	1860	600	650	580	600	1195	650	690
KGN3436 (int. handle)	1860	600	650	580	640	1195	650	690
KGN329 (int. handle)	2010	600	650	580	600	1195	650	690
KGN329 (ext. handle)	2010	600	650	580	640	1195	650	690

Description	a	b	c	d	e	f	g	h
Height								
Width								
Depth with closed door with handle and w/o flexible distance part								
Depth of cabinet w/o flexible distance part								
Width with open door (D)								
Depth with open door with handle w/o flexible distance part								
Depth with closed door with handle and w/o flexible distance part								
Depth with closed door with handle with flexible distance part								

measurements in mm