

**Series 4, Freestanding Fridge-freezer  
(Bottom freezer), 186 x 60 cm,  
Brushed steel anti-fingerprint, Total  
No Frost  
KGN36XI33Z**



**The NoFrost bottomfreezer with VitaFresh:  
Keeps your fresh foods fresh longer.**

- **A++ energy class refrigerator consumes 40% less energy than A energy class.**
- **VitaFresh:** keeps food fresh for longer in climate controlled drawers at near 0°C.
- **Perfect Fit:** place your fridge right next to walls or in a niche.
- **Super Cooling function:** Cools new food placed inside faster, thus protecting already cooled food.
- **Super Freezing function:** Protects frozen food from defrosting.

Built-in / Free-standing: ..... Free-standing  
 Number of compressors: ..... 1  
 Number of independent cooling systems: ..... 2  
 Width of the appliance: ..... 600 mm  
 Height: ..... 1860 mm  
 Depth: ..... 660 mm  
 Net weight: ..... 72.8 kg  
 Door panel options: ..... Not possible  
 Door hinge: ..... Right reversible  
 Number of Adjustable Shelves in fridge compartment: ..... 2  
 Shelves for Bottles: ..... Yes  
 Frost free system: ..... Freezer  
 Interior ventilator: ..... No  
 Reversible Door Hinge: ..... Yes  
 Length electrical supply cord: ..... 240.0 cm  
 Connection rating: ..... 100 W  
 Fuse protection: ..... 10 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50 Hz  
 Storage Period in Event of Power Failure (h): ..... 16 h



4 242005 160532

## **Series 4, Freestanding Fridge-freezer (Bottom freezer), 186 x 60 cm, Brushed steel anti-fingerprint, Total No Frost KGN36XI33Z**

### **The NoFrost bottomfreezer with VitaFresh: Keeps your fresh foods fresh longer.**

#### **Consumption**

- Energy efficiency class: A++
- Energy efficiency class: A++ (260 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located.
- Total net capacity: 324 litres
- Noise level dB(A) re 1 pW: 39

#### **Design**

- Doors stainless steel look, side panels Pearl grey (VZF 07127)
- vertical door handle
- LED with Soft Start in fridge section

#### **Comfort and Safety**

- Frost free - never again defrosting
- Twin in-door LED electronic control
- Single Compressor
- Supercool function
- Superfreeze Function
- Optical and acoustic warning system
- Optical and Acoustic Malfunction Warning

#### **Fridge Section**

- Net capacity refrigeration zone: 237 l
- Multi Airflow-System
- Air Fresh Filter
- 4 safety glass shelves (2 height adjustable)
- Wine Rack
- 1 door shelf large, 2 door shelf small

#### **Freshness System**

- 24 litre Near 0°C chiller section
- 1 vege.cont.w.int.humi.control
- , 2 Chiller temp adjustable

#### **Freezer Section**

- Net freezer capacity 87 litres
- Freezing capacity: 14 kg in 24 hours
- Storage time in power failure: 16 Hours
- 3 transparent freezer drawers
- Calendar frozen food

#### **APPLIANCE DIMENSION**

- Dimensions: H 186 cm x L 60 cm x D 66 cm

#### **TECHNICAL INFORMATION**

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Climate Class SN-T
- Connected load 100 W

- Rated Voltage 220 - 240 V

#### **Standard Accessories**

- 3 x egg tray, 1 x ice cube tray with lid

#### **Country Specific Options**


- Gross capacity, total: 357 l
- Gross capacity cooling 247 l
- \*\*\*\* freezer 110 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

#### **ENVIREMENT AND SAFETY**

#### **General Information**

**Series 4, Freestanding Fridge-freezer  
(Bottom freezer), 186 x 60 cm,  
Brushed steel anti-fingerprint, Total  
No Frost  
KGN36XI33Z**

Appliance name	a	b	c	d	e	f	g
KGN36 (Inner handle)	1860	600	660	590	600	1210	660
KGN36 (Outer handle)	1860	600	660	590	640	1210	700



Specification	
a	Height
b	Width
c	Depth with door closed, without handle
d	Cabinet depth
e	Width with door opened to 90°
f	Depth with door opened
g	Depth with door closed, with handle

measurements in mm