

**iQ300, Built-in Fridge, 82 x 60 cm,
flat hinge
KU21RVFE0**



3 x egg tray

KF10ZAX0 Door panel with decor frame
KU20ZSX0 Attachment door, stainless steel

Built-under fridge: loads of space and easy access, with Door Alarm for worry-free storage where space is limited.

- ✓ Made in Germany – A promise of top quality, state-of-the-art design and innovative features.
- ✓ Intelligent Inverter Compressor provides better temperature control and efficient performance.
- ✓ autoAirflow System – Ideal air circulation and even cooling at all levels for longer freshness.
- ✓ superCooling: Fast cooling for your fresh food.
- ✓ storagePlus – Extra storage space in the base area of the fridge.

Energy Efficiency Class (Regulation (EU) 2017/1369): E
 Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369: 93 kWh/annum
 Sum of volume of frozen compartments (EU 2017/1369): 0 l
 Sum of volume of chill compartments: 134 l
 Airborne acoustical noise emissions : 35 dB(A) re 1 pW
 Airborne acoustical noise emission class (EU 2017/1369): B
 Design: Built-in
 Number of compressors: 1
 Number of independent cooling systems: 1
 Width of the appliance: 598 mm
 Height: 820 mm
 Depth: 548 mm
 Net weight: 28.4 kg
 Min. required niche size for installation (HxWxD): .. 820 x 600 x 550 mm
 Door panel options: Not possible
 Door opening: Right reversible
 Number of Adjustable Shelves in fridge compartment: 3
 Shelves for Bottles: No
 Frost free system: No
 Interior ventilator: No
 Reversible Door Hinge: Yes
 Length electrical supply cord: 230.0 cm
 Fuse protection: 10 A
 Voltage: 220-240 V
 Frequency: 50 Hz
 Included accessories: 3 x egg tray



iQ300, Built-in Fridge, 82 x 60 cm, flat hinge KU21RVFEO

Consumption

- Total Volume : 134 l
- Annual Energy Consumption: 93 kWh/a
- Climate Class: SN-T
- Noise Level : 35 dB

Design

- LED with Soft Start

Comfort and Safety

- LED electronic control
- Optical and acoustic door open warning system
- Holiday mode
- Economy setting
- Home Connect: Remote Monitoring and Control
- Super cool function
- Automatic defrost
- Easy clean interior

Fridge Section

- Net Fridge Volume : 134 l
- 3 safety glass shelves
- 2 door bins
- Bottle holder in x-deep door tray
- Bottom comp. with sliding lid: separated storage area e.g. for bottles

Freshness System

TECHNICAL INFORMATION

- Door right hinged, reversible
- can be built under
- Ventilation in plinth, no cut-out in the worksurface necessary
- Length of power cord: 230 cm
- Rated Voltage 220 - 240 V

APPLIANCE DIMENSION

- Niche Dimension H X W x D: 82 cm x 60 cm x 55 cm
- Dimensions: H 82 cm x L 59.8 cm x D 54.8 cm

Standard Accessories

- egg tray


Country Specific Options

- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

General Information


iQ300, Built-in Fridge, 82 x 60 cm,
flat hinge
KU21RVFEO

measurements in
Recommended g




The gap dimensi
in the table must
to ensure that ap
collide with anytr
and to avoid cau


Measurements in



Measurements in mm




Measurements in



A: Air inlet >= 200

Maximal permis
fronts



Fitted unit fronts
weight may caus
functional impair

A: Weight <= 12 k