


**Series 2, Electric Hob, 60 cm, ,
PKE645CA1E**



**The glass-ceramic radiant hob: makes
cooking and cleaning especially easy.**

- **Surface mounted knobs:** for easy setting of preferred cooking level.
- **Steel frame:** the flat stainless steel frame around the hob is perfect for integrating into existing countertop cutouts.
- Ceramics glass is much more slim and durable with better vertical conduction.

Technical data

Product name/family : Cooking zone ceramic
 Construction type : Built-in
 Energy input : Electric
 Total number of positions that can be used at the same time : 4
 Min. required niche size for installation (HxWxD) : 48 x 560-560 x 490-500 mm
 Width of the appliance : 583 mm
 Dimensions : 48 x 583 x 513 mm
 Dimensions of the packed product (HxWxD) : 96 x 755 x 590 mm
 Net weight : 7.6 kg
 Gross weight : 8.4 kg
 Residual heat indicator : Separate
 Location of control panel : Hob lateral
 Basic surface material : Ceramic
 Color of surface : Black, Stainless steel
 Color of frame : Stainless steel
 Knob Material : Plastic
 Sealed Burners : No
 Power of heating element (kW) : 1.2 kW
 Power of 3rd heating element (kW) : 2.2 kW
 Power of 5th heating element (kW) : 1.2 kW
 Connection Rating : 6600 W
 Voltage : 220-240 V
 Frequency : 60; 50 Hz
 Main colour of product : Black
 Energy input : Electric
 Plug type : No plug (electrical connection by electrician)
 Appliance Dimensions (h x w x d) (in) : + x x
 Dimensions of the packed product : 3.77 x 23.22 x 29.72
 Net weight : 17.000 lbs
 Gross weight : 19.000 lbs
 Total number of positions that can be used at the same time : 4
 Min. required niche size for installation (HxWxD) : 48 x 560-560 x 490-500 mm
 Dimensions : 48 x 583 x 513 mm
 Dimensions of the packed product (HxWxD) : 96 x 755 x 590 mm
 Net weight : 7.6 kg
 Gross weight : 8.4 kg



Series 2, Electric Hob, 60 cm, , PKE645CA1E

**The glass-ceramic radiant hob: makes
cooking and cleaning especially easy.**

- 60 cm: space for 4 pots or pans.

Flexibility of cooking zones

- Cooking zone front left: 145 mm, 1.2 KW
- Cooking zone rear left: 210 mm, 2.2 KW
- Cooking zone rear right: 145 mm , 1.2 KW
- Cooking zone front right: 180 mm, 2 KW

Comfort & Convenience

- Sword knob: control the power with mounted knobs.
- Variable 9-stage power settings for each zone: precisely adapt the heat with 9 power levels.

Design

- frame

Safety


- Residual heat indicator for each zone: indicates which cooking zones are still hot.

Installation

- Dimensions of the product (HxWxD mm): 48 x 583 x 513
- Required niche size for installation (HxWxD mm) : 48 x 560 x (490 - 500)
- Min. worktop thickness: 16 mm
- Connected load: 6600 W

Series 2, Electric Hob, 60 cm, , PKE645CA1E

measurements in mm



- A:** Minimum distance from the hob cut-out to the wall.
- B:** Recessed depth
- C:** With fitted oven underneath min. 20, possibly more; see space requirements for the oven.