

**Series 2, Freestanding Dishwasher,
60 cm, White
SMS24AW01Z**



- SGZ1010 inlet and outlet hose extention
- SMZ5000 Dishwashing aid set
- SMZ5001 Baby care kit
- SMZ5002 Silver polishing cassette

**The ActiveWater 60 with VarioSpeed:
Rinses and dries your dishes thoroughly in
half the time.**

- **EcoSilence Drive:** energy-saving and silent in operation with a long life span.
- **Silence Plus:** pleasantly quiet at 48 dB.
- **Stainless steel tub with polypropylene bottom delivers durability.**
- **7-Segment Display:** indicates remaining time and standard info, such as re-fill status.
- **Multiple water protection:** for optimum security against flooding.

Maximum number of place settings:	12
The water consumption of the eco programme in liters per cycle (EU 2017/1369):	10.5 l
Built-in / Free-standing:	Free-standing
Removable top:	Yes
Door panel options:	Not possible
Color / Material panel:	White
Color / Material body:	White
Color / Material top:	White
Frequency:	50; 60 Hz
Length electrical supply cord:	175.0 cm
Plug type:	South Africa plug
Length inlet hose:	150 cm
Length outlet hose:	190 cm
Adjustable plinth:	No
Height of removable worktop:	30 mm
Height of the appliance:	845 mm
Maximum adjustability feet:	20 mm
Dimensions of the product (HxWxD):	845 x 600 x 600 mm
Dimensions of the packed product (HxWxD):	887 x 665 x 675 mm
Net weight:	43.9 kg
Gross weight:	45.2 kg
Voltage:	220-240 V
Connection rating:	2400 W
Fuse protection:	10 A
Hidden heating element:	Yes



Series 2, Freestanding Dishwasher, 60 cm, White SMS24AW01Z

The ActiveWater 60 with VarioSpeed: Rinses and dries your dishes thoroughly in half the time.

GENERAL INFORMATION

- Capacity: 12 place settings
- Energy consumption in programme Eco 50 °C: 1.02 kWh
- The information relates to the programme Eco50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 210 minutes
- Noise level: 48 dB (re 1 pW) freestanding, can be built under

Performance

- 4 programmes: Normal 65 °C, Eco 50 °C, Quick wash 45 °C, Pre-Rinse
- 1 special option: VarioSpeed
- 3 temperatures
- ActiveWater hydraulic water system

Key features

- DosageAssist detergent dispenser
- BLDC
- Auto 3-in-1 detergent detection for best rinsing and washing results
- Regenerative electronics

Programmes / functions

- Polinox drum

Design

- Red LED indicators
- LED salt refill indicator
- LED rinse aid refill indicator
- Programme selector with integrated start button

Additional features

- Cutlery basket in lower rack
- 2 foldable cup shelves in top basket
- Single water protection 24h
- Aquamix - Glass protection system
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

