

**iQ300**  
**SR64E031EU**  
**45 cm dishwasher**  
**Fully integrated**



**A+**



45 cm wide speedMatic dishwasher with varioSpeed for washing in up to half the time and with the varioFlex basket for more convenient loading.

- ✓ varioSpeed – up to 50% faster dishwashing in almost all cycles.
- ✓ More space for loading with the varioFlex rack with folding levels and tines.
- ✓ aquaStop for a lifetime guarantee against water damage.
- ✓ Very gentle cleaning of fragile glasses thanks to the modern glassCare System.
- ✓ The wear-free iQdrive motor is very efficient, quiet and long-lasting.

**Features**

**Technical data**

Cleaning performance : A  
 Water consumption (l) : 9.5  
 Total annual energy consumption (kWh) 220 days : 172  
 Estimated annual consumption (220 standard cycles) water (l) : 2090  
 Built-in / Free-standing : Built-in  
 Removable top : No  
 Door panel options : Not possible  
 Height of removable worktop (mm) : 815  
 Height of the product (mm) : 815  
 Adjustable feet : Yes - front only  
 Maximum adjustability feet (mm) : 60  
 Net weight (kg) : 29.720  
 Gross weight (kg) : 32.0  
 Connection Rating (W) : 2400  
 Current (A) : 10  
 Voltage (V) : 220-240  
 Frequency (Hz) : 50; 60  
 Length electrical supply cord (cm) : 175  
 Plug type : Gardy plug w/ earthing  
 Length inlet hose (cm) : 165  
 Length outlet hose (cm) : 205  
 Hidden heating element : Yes  
 Water protection system description : Triple water protection 24h : No  
 Water softener : Yes  
 Top basket type : mid  
 Adjustable upper basket : Rackmatic 3-stage  
 Upper rack cup shelf : 2  
 Bottom basket type : mid  
 3rd Rack : None  
 Silverware Basket : Standard  
 Optional accessories : SZ72010, SZ73000, SZ73005, SZ73010, SZ73300, SZ78100  
 Included accessories 2 : vapor barrier plate  
 Number of place settings : 9  
 Color / Material panel : Black  
 Dimensions of the packed product (HxWxD) (mm) : 880 x 680 x 520  
 Brand : Siemens  
 Product name / Commercial code : SR64E031EU  
 Number of place settings : 9  
 Energy efficiency class (2010/30/EC) : A+  
 Energy consumption annual (kWh/annum) - NEW (2010/30/EC) : 220.00  
 Energy consumption (kWh) : 0.78  
 Power consumption in left-on mode (W) - NEW (2010/30/EC) : 0.10  
 Power consumption in off-mode (W) - NEW (2010/30/EC) : 0.10  
 Water consumption annual (l/annum) - NEW (2010/30/EC) : 2660  
 Drying performance : A  
 Reference programme : Eco  
 Total cycle time of reference programme (min) : 195  
 Duration of the left-on mode - NEW (2012/30/EC) (min) : 0  
 Noise level (dB(A) re 1 pW) : 48  
 Installation typology : Full-integrated  
 Panel ready : Yes

**iQ300**  
**SR64E031EU**  
**45 cm dishwasher**  
**Fully integrated**

#### Features

- 9 place settings
- Energy Efficiency Class: A+
- Water consumption in programme Eco 50: 9.5 litres
- A rated performance for washing and A for drying
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Fully integrated
- 4 programmes: Intensive 70 °C, Eco 50 °C, Quick wash 45 °C, Pre-Rinse
- 1 special option: VarioSpeed
- 3 temperatures
- SpeedMatic hydraulic system
- Dossage assist detergent dispenser
- Hydrosensor III, Load sensor
- Automatic detergent detection
- hydroDry - hygienic and efficient drying
- Alternating spray technique
- Self-cleaning filter system with 3 piece corrugated filter
- Stainless steel drum
- LED salt refill indicator
- LED rinse aid refill indicator
- Varioflex basket system
- Silver XXL baskets with pullout handle
- 3 stage Rackmatic height-adjustable top basket
- 2 foldable plate racks in top basket
- 2 foldable plate racks in bottom basket
- Cutlery rack in top basket
- 2 foldable cup shelves in top basket
- Hydrosafe - 24hr anti flood device with guarantee
- Servo-lock for effortless door closing
- HydroMix glass care technology
- Dimensions of the product (HxWxD): 81.5 x 44.8 x 55 cm

**iQ300**  
**SR64E031EU**  
**45 cm dishwasher**  
**Fully integrated**

Dimensioned drawings

